

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	2	(access near3 prevention) same (file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:29
S4	2	(access near5 prevention) same (file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:31
S5	7	(access near5 prevention) and (file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:31
S7	1945	(access near5 control) and (file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:36
S8	351	(access near3 control) same (file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:37
S9	10	(access near5 prevention) and (file near5 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:37
S10	114	(access near3 prevent\$3) same (file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:39
S11	99	(access near2 prevent\$3) same (file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:39
S12	80	(access near2 prevent\$3) same (file near2 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	AND	ON	2011/03/21 11:39

			DERWENT; IBM_TDB			
S13	2	(access near2 prevent\$3) same (computer near2 file near2 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:40
S14	3	(access near2 prevent\$3) same (computer near3 file near3 lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/21 11:40
S19	108	(protect\$3 or delet3 or mov\$3) same (directory with files) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:45
S20	60	(protect\$3 or delet3 or mov\$3) same (directory near3 files) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:46
S21	7	(delet3 or mov\$3) same (directory near3 files) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:46
S22	34	(prevent\$3 near3 access) same (directory near3 files) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:46
S23	102	((prevent\$3 near3 access) with (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:50
S24	19	((prevent\$3 near3 access) near3 (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:50
S25	32	((protect\$3 or delet3 or mov\$3) near3 (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:52
S26	2	"20020099944"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 07:58

S27	45	((protect\$3 or delet3 or mov\$3 or encrypt\$3) near3 (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:01
S28	43	((protect\$3 or delet3 or encrypt\$3) near3 (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:01
S30	43	((protect\$3 or encrypt\$3) near3 (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:01
S31	17	((delet3 or mov\$3 or encrypt\$3) near3 (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:02
S32	31	((delet3 or mov\$3 or encrypt\$3) near3 (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:03
S33	0	((delet3 or mov\$3 or encrypt\$3) near3 ((plurality or multiple) near3 (sensitive near3 files))) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:10
S34	0	((delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) near3 (sensitive near3 files))) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:10
S35	1	((delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) with (sensitive near3 files))) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:10
S36	66	((delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) with (files))) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:11
S37	2	((delet3 or mov\$3 or encrypt\$3) near3 ((plurality or multiple) near3 (files))) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:11
S38	9	((delet3 or mov\$3 or encrypt\$3) near3 (directory or folder)) with (unauthorized near3 access)	US-PGPUB; USPAT;	AND	ON	2011/08/30 08:21

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S40	102	((prevent\$3 near3 access) with (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:29
S42	51	((prevent\$3 near3 access) near5 (directory)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:29
S43	3	((prevent\$3 adj access) near5 (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:31
S44	6	((prevent\$3 adj access) with (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:31
S45	13	((prevent\$3 adj access) same (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:31
S46	80	((prevent\$3 adj access) same (directory or folder)) and (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:32
S48	13	((prevent\$3 adj access) same (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:46
S49	371	((protect\$3 or delet3 or mov\$3 or encrypt\$3) same (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:46
S50	6	((protect\$3 or delet3 or mov\$3 or encrypt\$3) same (secure near3 (directory or folder))) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:46
S51	281	((protect\$3) same (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS;	AND	ON	2011/08/30 08:47

			EPO; JPO; DERWENT; IBM_TDB			
S52	32	((protect\$3) near3 (directory or folder)) same (unauthorized near3 access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:47
S53	201	((protect\$3 or delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) with ((sensitive or secure) near3 files)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:57
S54	5	((protect\$3 or delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) with ((sensitive or secure) near3 files))) same (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:58
S55	132	((protect\$3 or delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) with ((sensitive or secure) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:58
S56	81	((protect\$3 or delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) near5 ((sensitive or secure) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:59
S57	75	((protect\$3 or delet3 or mov\$3 or encrypt\$3)with ((plurality or multiple) near5 ((sensitive or secure) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:59
S58	75	((protect\$3 or delet3 or mov\$3 or encrypt\$3) with ((plurality or multiple) near5 ((sensitive or secure) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:59
S59	71	((delet3 or mov\$3 or encrypt\$3) with ((plurality or multiple) near5 ((sensitive or secure) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:59
S60	0	((delet3 or mov\$3 or encrypt\$3) with ((plurality or multiple) near5 ((sensitive) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 08:59
S61	6	((delet3 or mov\$3 or encrypt\$3) same ((plurality or multiple) same ((sensitive) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	AND	ON	2011/08/30 09:00

				IBM_TDB				
S62	6	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near2 access)) same ((plurality or multiple) same ((sensitive) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:01		
S63	6	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((plurality or multiple) same ((sensitive) near3 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:01		
S64	13	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((plurality or multiple) same ((sensitive) near5 files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:01		
S65	57	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((plurality or multiple) same ((sensitive) with files))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:02		
S66	87	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((sensitive) with (directory or folder))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:05		
S67	17	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((sensitive) near3 (directory or folder))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:05		
S68	140	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((sensitive or secure) near3 (directory or folder))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:06		
S69	6	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((sensitive or secure) near3 (directory or folder))) same (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:06		
S70	5009	713/165,193.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:24		
S71	43	S63 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 09:24		
S74	86	((secur\$3 or protect\$3) with ((sensitive or secret or classified) near3 (files)))	US-PGPUB;	AND	ON	2011/08/30		

		same (unauthorized)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:01
S75	36	((secur\$3 or protect\$3) with ((sensitive or secret or classified) adj (files))) same (unauthorized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 10:01
S76	67	((secur\$3 or protect\$3) near5 ((sensitive or secret or classified) near3 (files))) same (unauthorized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 10:03
S77	266	((protect\$3 or delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near2 access)) near5 (sensitive near3 files))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:03
S79	21	((protect\$3 or delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near2 access)) near5 (sensitive near3 files)) same (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:05
S80	10	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near2 access)) near5 (sensitive near3 files)) same (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:06
S81	70	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near2 access)) near5 (sensitive near3 files))and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:07
S82	11	((prevent\$3 near2 access)) near5 (sensitive near3 files))and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:07
S83	13	((prevent\$3 near2 access)) with (sensitive near3 files)) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:07
S84	13	((prevent\$3 near2 access)) with (sensitive near3 (folder or directory or file))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:09
S85	15	((prevent\$3 near2 access)) with (sensitive near5 (folder or directory or file))) and (unauthorized near3 (user or access))	US-PGPUB; USPAT; USOCR;	AND	ON	2011/08/30 12:09

				FPRS; EPO; JPO; DERWENT; IBM_TDB			
S86	20	((prevent\$3 near2 access)) with (sensitive with (folder or directory or file)) and (unauthorized near3 (user or access))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:09
S87	49	((prevent\$3 near2 access)) same (sensitive with (folder or directory or file)) and (unauthorized near3 (user or access))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 12:09
S88	2081	((delet3 or mov\$3 or encrypt\$3 or eras\$3) same ((sensitive or critical) near3 (data))) and (unauthorized near3 (user or access))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 13:09
S89	107	((delet3 or mov\$3 or encrypt\$3 or eras\$3) near3 ((sensitive or critical) near2 (data))) same (unauthorized near3 (user or access))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 13:09
S90	5009	713/165,193.cds.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 13:10
S91	17	S89 and S90		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/08/30 13:10
S102	117	((encrypt\$3) near3 (directory or folder)) same (unauthorized)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 08:39
S103	33	((encrypt\$3) near3 (directory or folder)) near5 (unauthorized)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 08:39
S104	24	((encrypt\$3) near3 (directory or folder)) near3 (unauthorized)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 08:39
S105	26	((encrypt\$3 or lock\$3) near3 (directory or folder)) near3 (unauthorized)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	AND	ON	2011/09/07 10:02

				DERWENT; IBM_TDB				
S106	12213	((encrypt\$3 or lock\$3) near3 (unauthorized))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 10:27	
S107	3214	((encrypt\$3 or lock\$3) near3 (unauthorized near2 access))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 10:27	
S108	2778	713/165		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 10:28	
S109	75	S107 and S108		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 10:28	
S111	30	((encrypt\$3) near3 (sensitive or confidential) near3 (directory or folder))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 10:46	
S112	30	((encrypt\$3 or lock\$3) near3 (sensitive or confidential) near3 (directory or folder))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 10:46	
S113	2	"5557674".pn.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 11:44	
S116	15	((encrypt\$3 or lock\$3) near3 (directory or folder)) with (access near3 prevent\$3)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 12:31	
S117	21	((encrypt\$3 or lock\$3) near3 (directory or folder)) same (access near3 prevent\$3)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 12:33	
S118	1800	((encrypt\$3 or lock\$3) near2 (directory or folder))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 13:11	

S119	13	((encrypt\$3 or lock\$3) with ((sensitive or confidential) adj (directory or folder)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 13:12
S120	10	((encrypt\$3) with ((sensitive or confidential) adj (directory or folder)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 13:12
S121	11	((encrypt\$3) same ((sensitive or confidential) adj (directory or folder)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 13:12
S122	45	((encrypt\$3) same ((sensitive or confidential) near3 (directory or folder)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 13:13
S123	55	((encrypt\$3 or hid\$5) same ((sensitive or confidential) near3 (directory or folder)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/09/07 13:13
S129	30635	713/165,193,183,164,185,167,166;726/27,28,29,30,4,17;709/225,232,229 ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/02/22 09:52
S130	6900	((prevent\$3 or secur\$3) same ((sensitive or confidential or protected) near3 (file or data or folder or information))) and ((malicious or unauthoriz\$5) near5 (user or access)) and (@ad<"20040331" or @rlad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 09:58
S131	2332	((prevent\$3 or secur\$3) same ((sensitive or confidential or protected) near3 (file or data or folder or information))) same ((malicious or unauthoriz\$5) near5 (user or access)) and (@ad<"20040331" or @rlad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 09:59
S132	1900	((prevent\$3 or secur\$3) same ((sensitive or confidential or protected) near3 (file or data or folder or information))) same ((malicious or unauthoriz\$5) near5 (user or access)) and (encrypt\$3 or delet\$3) and (@ad<"20040331" or @rlad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 09:59
S133	738	((prevent\$3 or secur\$3) same ((sensitive or confidential or protected) near3 (file or data or folder or information))) same ((malicious or unauthoriz\$5) near5 (user or access)) same (encrypt\$3 or delet\$3) and (@ad<"20040331" or @rlad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 09:59
S134	1587	S129 and S130	US-PGPUB; USPAT;	AND	ON	2012/02/22 10:00

				USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S135	521	S129 and S131		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:00
S136	454	S129 and S132		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:00
S137	190	S129 and S133		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:00
S138	527	((prevent\$3 or secur\$3) same ((sensitive or confidential) near3 (file or data or folder or information))) same ((malicious or unauthoriz\$5) near5 (user or access)) same (encrypt\$3 or delet\$3) and (@ad<"20040331" or @riad<"20040331")		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:00
S139	326	((protect\$3 or secur\$3) with ((sensitive or confidential) with (file or data or folder or information))) same ((malicious or unauthoriz\$5) near5 (user or access)) same (encrypt\$3 or delet\$3) and (@ad<"20040331" or @riad<"20040331")		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:01
S140	74	S129 and S139		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:01
S141	140	S129 and S138		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:01
S142	51	((delet\$3 or mov\$3 or encrypt\$3 or eras\$3) near3 ((sensitive or critical) near2 (data))) same (unauthorized near3 (user or access)) and (@ad<"20040331" or @riad<"20040331")		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:02
S143	90	((encrypt\$3) near3 (directory or folder)) same (unauthorized) and (@ad<"20040331" or @riad<"20040331")		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:02
S144	132	((protect\$3 or delet\$3 or mov\$3 or encrypt\$3 or (prevent\$3 near2 access)) near5 (sensitive near3 files)) and (@ad<"20040331" or @riad<"20040331")		US-PGPUB; USPAT; USOCR; FPRS;	AND	ON	2012/02/22 10:03

			EPO; JPO; DERWENT; IBM_TDB			
S145	72	((delet3 or mov\$3 or encrypt\$3 or (prevent\$3 near3 access)) same ((sensitive with (directory or folder))) and (unauthorized near3 (user or access)) and (@ad<"20040331" or @riad<"20040331"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:03
S146	16	S129 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:03
S147	26	S129 and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:03
S148	51	S129 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:03
S149	29	S129 and S145	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:03
S151	2	(pimentel near4 plinio).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:06
S152	2	(plinio near3 pimentel).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:06
S153	481	(pimentel).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:06
S155	2	(pimentel same plinio).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:07
S156	49	(plinio).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	AND	ON	2012/02/22 10:07

S157	39	((delet3 or mov3 or encrypt3 or (prevent3 near3 access)) same ((plurality or multiple) same ((sensitive) with files))) and (unauthorized near3 (user or access)) and (@ad<"20040331" or @rlad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:12
S158	32	((delet3 or mov3 or encrypt3) same ((plurality or multiple) with (files))) same (unauthorized near3 access) and (@ad<"20040331" or @rlad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:12
S159	12	S129 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:13
S160	5	S129 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:13
S161	5284	713/165,193.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:13
S162	81	S161 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:14
S163	1536	713/165.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:14
S165	31	S163 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:14
S167	12	S163 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:15
S168	11	S163 and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/02/22 10:15
S179	1007	726/13.cds.	US-PGPUB;	AND	ON	2012/03/06

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			13:52
S180	527	((prevent\$3 or secur\$3) same ((sensitive or confidential) near3 (file or data or folder or information))) same ((malicious or unauthoriz\$5) near5 (user or access)) same (encrypt\$3 or delet\$3) and (@ad<"20040331" or @riad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:52
S181	2	S179 and S180	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:52
S182	326	((protect\$3 or secur\$3) with ((sensitive or confidential) with (file or data or folder or information))) same ((malicious or unauthoriz\$5) near5 (user or access)) same (encrypt\$3 or delet\$3) and (@ad<"20040331" or @riad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:52
S183	2	S179 and S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:52
S184	30817	713/165,193,183,164,185,167,166;726/27,28,29,30,4,17;709/225,232,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/03/06 13:52
S185	74	S184 and S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:52
S186	1	S179 and S185	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:52
S187	140	S184 and S180	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:52
S189	51	((delet3 or mov\$3 or encrypt\$3 or eras\$3) near3 ((sensitive or critical) near2 (data))) same (unauthorized near3 (user or access)) and (@ad<"20040331" or @riad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S190	1	S179 and S189	US-PGPUB; USPAT; USOCR;	AND	ON	2012/03/06 13:53

				FPRS; EPO; JPO; DERWENT; IBM_TDB			
S191	50	((encrypt\$3 same ((sensitive or confidential) near3 (directory or folder)))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S193	62	((encrypt\$3 or hid\$5) same ((sensitive or confidential) near3 (directory or folder)))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S195	115	((prevent\$3 near3 access) with (directory)) same (unauthorized near3 access)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S196	1	S179 and S195		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S197	36	(prevent\$3 near3 access) same (directory near3 files) same (unauthorized near3 access)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S199	19	((prevent\$3 near3 access) near3 (directory)) same (unauthorized near3 access)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S201	33	((protect\$3 or delet3 or mov\$3) near3 (directory)) same (unauthorized near3 access)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S203	126	(access near3 prevent\$3) same (file near3 lock\$3)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S205	107	(access near2 prevent\$3) same (file near3 lock\$3)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 13:53
S207	86	(access near2 prevent\$3) same (file near2 lock\$3)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	AND	ON	2012/03/06 13:53

			DERWENT; IBM_TDB			
S209	118	((encrypt\$3) near3 (directory or folder)) same (unauthorized)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 14:21
S210	0	S179 and S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2012/03/06 14:21

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S169	0	((protecting same sensitive same files) and (authorized same connection same list)).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:08
S170	0	((protecting same sensitive same files) and (authorized same connection same list) and (sensitive same file same information)).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:09
S171	9	((protecting same sensitive same files) and (sensitive same file same information)).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:09
S172	9	((protecting same sensitive same files) same (sensitive same file same information)).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:10
S173	0	((authorized same connection same list) and (sensitive same file same information)).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:10
S174	0	((authorized same connection same list) and (sensitive near5 file near5 information)).dm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:10
S175	185	((authorized same connection same list) or (sensitive near5 file near5 information)).dm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:11
S176	59	((authorized near5 connection near5 list) or (sensitive near5 file near5 information)).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:11
S177	0	((authorized near5 connection near5 list) and (sensitive near5 file near5 information)).dm.	US-PGPUB; USPAT; UPAD	AND	ON	2012/02/22 10:11

3/ 6/ 2012 2:24:29 PM

C:\Users\ioeke\Documents\EAST\Workspaces\10813248.wsp